	Application No.	Applicant(s)
Notice of Allowability	10/073,559	DAIS ET AL.
	Examiner	Art Unit
	William C Doemer	3744
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to the 6-28-2004 after final amendment and the 8-16-2004 interview.		
2. X The allowed claim(s) is/are <u>35-60,65 and 67-71</u> .		
3. X The drawings filed on 02 June 2003 are accepted by the Examiner.		
4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* (c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS EROM THE "MAILING DATE" of this communication to file a reply complying with the requirements.		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date ldentifying Indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. ☐ Notice of References Cited (PTO ₌ 892)	5. Notice of Informal Pa	atent Application (PTO-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Interview Summary	
Information Disclosure Statements (PTO-1449 or PTO/SB/08 Paper No./Mail Date	Paper No./Mail Dat B), 7. ⊠ Examiner's Amendn	
4. Examiner's Comment Regarding Requirement for Deposit		nt of Reasons for Allowance
of Biological Material	9. Other	·
•		
•		
		į

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Anthony Volini on 8-16-2004.

The application has been amended as follows: Amend claim 65 as follows:

65. (Currently Amended) A container, comprising:

an inner container portion;

an outer container portion permanently joined to the inner container portion to define

a sealed cavity therebetween;

a coolant disposed within the cavity; wherein the coolant comprises a crosslinked gel, and

pressure relief apparatus operable to vent a pressure increase in the sealed cavity to ambient surroundings wherein the pressure relief apparatus comprises only an unobstructed opening in the outer container portion.

Cancel claim 66

In line 1 of claim 67, change "claim 66" to --claim 65--.

Application/Control Number: 10/073,559

Art Unit: 3744

Any inquiry concerning this communication or earlier communications from the examiner should be directed to William C Doerrler whose telephone number is (703) 308-0696. The examiner can normally be reached on Monday-Friday 6:30-4:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Denise Esquivel can be reached on (703) 308-2597. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

William C Doerrier Primary Examiner Art Unit 3744

WCD